| L Number | Hits | Search Text | DB | Time stamp |
|----------|---------|--|-----------|---------------------------------------|
| 8 | 1 | ("6256745").PN. | USPAT; | 2004/09/20 08:36 |
| | | | US-PGPUB; | |
| | | | ЕРО; ЛРО; | |
| | | | IBM TDB | |
| 9 | 1 | ("5828868").PN. | USPĀT; | 2004/09/20 08:52 |
| | _ | | US-PGPUB; | |
| | | | ЕРО; ЛРО; | |
| | | | IBM TDB | |
| 10 | 1 | ("6216234").PN. | USPĀT; | 2004/09/20 08:53 |
| | | | US-PGPUB; | |
| ì | | | ЕРО, ЛРО, | |
| | | | IBM TDB | |
| 11 | 0 | compar\$4 near4 (ALUs near4 result\$1) near4 \$3match\$3 | USPĀT; | 2004/09/20 08:53 |
| | | , , , | US-PGPUB; | |
| | | | ЕРО, ЈРО, | |
| | | | IBM TDB | |
| 12 | 3086 | compar\$4 near4 result\$1 near4 \$3match\$3 | USPĀT; | 2004/09/20 08:54 |
| | | ,, | US-PGPUB; | |
| | | | ЕРО; ЛРО; | |
| | | | IBM_TDB | |
| 13 | 1554 | compar\$4 adj2 result\$1 near4 \$3match\$3 | USPAT; | 2004/09/20 08:54 |
| | | J | US-PGPUB; | |
| | | | ЕРО; ЛРО; | |
| - | | | IBM TDB | |
| 14 | 3 | compar\$4 near4 ((ALU\$1 or arithmetic) adj1 result\$1) near4 \$3match\$3 | USPAT; | 2004/09/20 08:55 |
| | _ | (c = 1, 1 | US-PGPUB; | |
| | | | ЕРО; ЛРО; | |
| | | | IBM_TDB | |
| 15 | 16 | compar\$4 near4 ((ALU\$1 or arithmetic) near4 result\$1) near4 | USPAT; | 2004/09/20 08:56 |
| | | \$3match\$3 | US-PGPUB; | 200 11 03120 00.50 |
| | | | EPO; JPO; | |
| | | | IBM TDB | |
| 16 | 2128273 | compar\$4 adj\$1 result\$1 near4 \$3match\$3 near4 ALU\$1 | USPAT; | 2004/09/20 08:57 |
| | | tompart adjust and the manufacture and the man | US-PGPUB; | 200 17 0 77 20 00.57 |
| | | | ЕРО; ЛРО; | |
| | | | IBM TDB | |
| 17 | 1299 | (compar\$4 adj\$1 result\$1) near4 \$3match\$3 near4 (ALU\$1 or unit\$1) | USPAT; | 2004/09/20 08:58 |
| | | | US-PGPUB; | |
| | | | ЕРО; ЈРО; | |
| | | | IBM_TDB | |
| 18 | 44 | (compar\$4 adj1 result\$1) near4 \$3match\$3 near4 (ALU\$1 or unit\$1) | USPAT; | 2004/09/20 09:00 |
| | , i | , | US-PGPUB; | |
| | | | ЕРО; ЛРО; | |
| | | | IBM TDB | |
| 19 | 0 | compar\$4 near4 ((ALU\$1 or (\$point adj1 unit\$1)) adj1 result\$1) near4 | USPAT; | 2004/09/20 09:01 |
| | | \$3match\$3 | US-PGPUB; | |
| | | | ЕРО; ЛРО; | |
| | | | IBM TDB | |
| 20 | 1339 | compar\$4 adj1 result\$1 near4 \$3match\$3 | USPAT; | 2004/09/20 09:03 |
| | | - | US-PGPUB; | |
| | | | ЕРО; ЛРО; | |
| | | | IBM TDB | |
| 21 | 399 | (compar\$4 adj1 result\$1) near4 \$3match\$3 same (ALU\$1 or (arithmetic | USPAT; | 2004/09/20 09:04 |
| | | adj2 unit\$1) or process\$3) | US-PGPUB; | |
| | | | ЕРО; ЛРО; | |
| | | | IBM_TDB | |
| 22 | 15 | (compar\$4 adj1 result\$1) near4 \$3match\$3 same (ALU\$1 or (arithmetic | USPAT; | 2004/09/20 09:07 |
| | | adj2 unit\$1)) | US-PGPUB; | |
| | | - " | ЕРО; ЛРО; | |
| | | | IBM_TDB | |
| | | | | · · · · · · · · · · · · · · · · · · · |

| 23 | 204 | (compar\$4 adj1 result\$1) near4 (data near4 \$3match\$3) | USPAT; US-PGPUB; | 2004/09/20 09:08 |
|-------|-----|--|------------------------|------------------|
| | | | ЕРО; ЈРО; | |
| | | | IBM_TDB | |
| 24 | 6 | (compar\$4 adj1 result\$1) near4 (data near4 \$3match\$3) near4 count\$3 | USPAT, | 2004/09/20 09:10 |
| | | | US-PGPUB; | |
| | | | ЕРО; ЈРО; | |
| | | | IBM_TDB | |
| 25 | 6 | (compar\$4 adj1 output\$1) near4 (data near4 \$3match\$3) near4 count\$3 | USPAT; | 2004/09/20 09:29 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | IBM_TDB | |
| 26 | 310 | (compar\$4 near4 ((ALU\$1 or arithmetic or process\$3) output\$1)) near4 | USPAT; | 2004/09/20 09:31 |
| | | \$3match\$3 near4 (count\$3 or track\$3) | US-PGPUB; | |
| | | | ЕРО; ЈРО; | |
| | | | IBM_TDB | |
| 27 | 292 | (compar\$4 near4 ((ALU\$1 or arithmetic or process\$3) output\$1)) near4 | USPAT; | 2004/09/20 09:31 |
| | | \$3match\$3 near4 (count\$3) | US-PGPUB; | |
| | | | ЕРО; ЛРО; | |
| | | | IBM_TDB | |
| 28 | 3 | (compar\$4 near4 ((ALU\$1 or arithmetic or process\$3) near4 output\$1)) | USPAT; | 2004/09/20 09:32 |
| | | near4 \$3match\$3 near4 (count\$3) | US-PGPUB; | |
| | | | ЕРО; ЈРО; | |
| | | | IBM_TDB | |
| 29 | 3 | (compar\$4 near4 ((ALU\$1 or arithmetic or process\$3) near4 output\$1)) | USPAT; | 2004/09/20 09:32 |
| | | near4 \$3match\$3 near4 (count\$3 or track\$3) | US-PGPUB; | |
| | | | ЕРО; ЛРО; | |
| | | | IBM_TDB | |
| 30 | 81 | (compar\$4 near4 ((ALU\$1 or arithmetic or process\$3) near4 output\$1)) | USPAT; | 2004/09/20 09:35 |
| | : | near4 \$3match\$3 | US-PGPUB; | |
| | | | ЕРО; ЈРО; | |
| | | | IBM_TDB | |
| 31 | 3 | (compar\$4 near4 ((ALU\$1 or arithmetic or process\$3) near4 output\$1)) | USPAT; | 2004/09/20 09:33 |
| | | near4 \$3match\$3 with (count\$3) | US-PGPUB; | |
| | | | ЕРО; ЈРО; | |
| | | | IBM_TDB | |
| 32 | 11 | (compar\$4 near4 ((ALU\$1 or arithmetic or process\$3) near4 output\$1)) | USPAT; | 2004/09/20 09:33 |
| | 1 | near4 \$3match\$3 same (count\$3) | US-PGPUB; | |
| | | | EPO; JPO; | |
| 22 | | (| IBM_TDB | 2004/00/20 00:46 |
| 33 | 9 | (compar\$4 near4 ((ALU\$1 or arithmetic) near4 output\$1)) near4 | USPAT; | 2004/09/20 09:46 |
| | | \$3match\$3 | US-PGPUB; | |
| | | | EPO; JPO; | |
| 34 | 0 | compar\$4 near4 ((floating adj1 point\$1) near4 output\$1) near4 | IBM_TDB USPAT; | 2004/09/20 09:46 |
| J 7 | " | s3match\$3 | | 2004/03/20 03:40 |
| | | womatong - | US-PGPUB; EPO; JPO; | |
| | | · | IBM_TDB | |
| 35 | 0 | compar\$4 near4 ((floating?point\$1) near4 output\$1) near4 \$3match\$3 | USPAT; | 2004/09/20 09:47 |
| , , , | | company near ((nearing:points) neary outputs) neary \$311atch\$3 | USPAT, US-PGPUB; | 200410712007.47 |
| | | | EPO; JPO; | |
| | . | | IBM TDB | |
| 36 | 0 | comparing near4 ((arithmetic or logic) adj1 (outputs or results)) near4 | USPAT; | 2004/09/20 09:48 |
| | | \$3match\$3 | US-PGPUB; | 20007.20 07.70 |
| | | T | EPO; JPO; | |
| | | | IBM_TDB | |
| 37 | 223 | comparing near4 (outputs or results) near4 \$3match\$3 | USPAT; | 2004/09/20 09:48 |
| | | 1 (carpain of recently near i dominately | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | IBM_TDB | |
| 38 | 0 | comparing near4 (data adj1 (outputs or results)) near4 \$3match\$3 | USPAT; | 2004/09/20 09:48 |
| | | The state of the s | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | IBM TDB | |
| | L | 1 | | |

Search History 9/20/04 10:52:49 AM Page 2

| 70 | 10 | (1) (1) (1) (1) (1) (1) (1) (1) (1) (1) | LICDAT. | 2004/09/20 09:51 |
|----------|-------|--|-----------|----------------------|
| 39 | 18 | comparing near4 (data near4 (outputs or results)) near4 \$3match\$3 | USPAT; | 2004/09/20 09:31 |
| | | | US-PGPUB; | |
| | | | ЕРО; ЛРО; | |
| | | | IBM_TDB | |
| 40 | 40 | comparator near4 (data near4 (outputs or results)) near4 \$3match\$3 | USPAT; | 2004/09/20 09:51 |
| | | | US-PGPUB; | |
| | | | ЕРО; ЈРО; | |
| | | | IBM_TDB | |
| - | 1 | ("6161171").PN. | USPAT; | 2004/08/10 15:52 |
| | | | US-PGPUB; | |
| | | | ЕРО; ЛРО; | |
| | | | IBM_TDB | |
| - | 2 | (("3656123") or ("5428754")).PN. | USPAT; | 2004/08/10 09:04 |
| | | | US-PGPUB; | |
| | | | ЕРО; ЈРО; | |
| | | | IBM TDB | |
| - | 1 | "20020038418" | USPAT; | 2004/08/10 13:56 |
| | | | US-PGPUB; | |
| | | | ЕРО; ЛРО; | |
| | | | IBM_TDB | |
| _ | 14 | (clock adj1 frequency) near4 ALU | USPAT; | 2004/08/10 13:57 |
| [| '' | (| US-PGPUB; | |
| [| | · | EPO; JPO; | |
| | | | IBM TDB | |
| _ | 0 | (long adj1 latency adj1 instruction\$1) near4 (co?processor\$1) | USPAT; | 2004/08/10 16:17 |
| - | | (long adj) latency adj) histraction(#1) hear4 (co:processor#1) | US-PGPUB; | 2004/03/10 10:17 |
| | | | - | |
| | | | EPO; JPO; | |
| | | (long a dil latanan a dil instruction #1) some (as 2mm as again #1) | IBM_TDB | 2004/09/10 16:04 |
| - | 0 | (long adj1 latency adj1 instruction\$1) same (co?processor\$1) | USPAT; | 2004/08/10 16:04 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | [_ [| | IBM_TDB | 0004/00/50 55 55 |
| - | r 1 | (long adj1 latency adj1 instruction\$1) near4 separate | USPAT; | 2004/08/10 16:04 |
| | | | US-PGPUB; | |
| | | | ЕРО; ЈРО; | |
| | | | IBM_TDB | |
| - | 100 | long adj1 latency adj1 instruction\$1 | USPAT; | 2004/08/10 16:05 |
| | | | US-PGPUB; | |
| | | | ЕРО; ЈРО; | |
| | | | IBM_TDB | |
| - | 39 | load near4 co?processor\$1 | USPAT; | 2004/08/10 16:15 |
| į į | | | US-PGPUB; | |
| | | | ЕРО; ЛРО; | |
| | | | IBM_TDB | |
| - | 606 | memory near4 co?processor\$1 | USPAT; | 2004/08/10 16:17 |
| | | | US-PGPUB, | |
| | | | ЕРО; ЛРО; | |
| | ł | | IBM_TDB | |
| - | 0 | (long adj1 latency) near4 (co?processor\$1) | USPAT; | 2004/08/10 16:17 |
| | | , · · · / | US-PGPUB; | |
| | | | ЕРО; ЛРО; | |
| | | | IBM_TDB | |
| - | 58 | memory adj1 co?processor\$1 | USPAT; | 2004/08/10 16:26 |
| | | , J | US-PGPUB; | 12.23.20 |
| | | | EPO; JPO; | |
| | | | IBM TDB | |
| _ | 8 | I/O adj1 co?processor\$1 | USPAT; | 2004/08/10 16:26 |
| | " | 2 - anj. vo provenova i | US-PGPUB; | 200 ,, 00, 10 10.20 |
| | | | EPO; JPO; | |
| | | | IBM_TDB | |
| <u>-</u> | 13703 | I/O near4 processor\$1 | USPAT; | 2004/08/10 16:27 |
| | 13/03 | DO HOUT PROCESSORAL | | 2004/00/10 10.2/ |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| l | L | | IBM_TDB | L |

Search History 9/20/04 10:52:49 AM Page 3

| | 2477 | I/O adil processor 1 | USPAT; | 2004/08/10 16:27 |
|-----|------|---|-----------|------------------|
| - | 2477 | I/O adj1 processor\$1 | US-PGPUB; | 2004/08/10 10.27 |
| | | | EPO; JPO; | |
| | | | | |
| 1 1 | 0.4 | T/O 4 0 | IBM_TDB | 2004/09/10 16:27 |
| - | 84 | I/O near4 co?processor\$1 | USPAT; | 2004/08/10 16:27 |
| | | | US-PGPUB; | · |
| | | | ЕРО; ЛРО; | |
| | | T.O. 114 O | IBM_TDB | 2004/00/10 17 20 |
| - | 8 | I/O adj1 co?processor\$1 | USPAT; | 2004/08/10 16:29 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | IBM_TDB | 2004/00/10 16 20 |
| - | 512 | load adj1 store adj1 units | USPAT; | 2004/08/10 16:29 |
| | | | US-PGPUB; | |
| * | | | ЕРО; ЛРО; | |
| | | 4. 4. 4. 4. | IBM_TDB | 2004/00/10 17 20 |
| - | 12 | (load adj1 store adj1 units) near4 processors | USPAT; | 2004/08/10 16:29 |
| | | | US-PGPUB; | |
| | | | ЕРО; ЛРО; | |
| | | | IBM_TDB | 0004/00/40 |
| - | 0 | (load adj1 store adj1 units) near4 (instruction adj1 length) | USPAT; | 2004/08/10 16:32 |
| | | | US-PGPUB; | |
| | | | ЕРО; ЛРО; | |
| | | | IBM_TDB | |
| - | 1 | (load adj1 store adj1 units) same (instruction adj1 length) | USPAT; | 2004/08/10 16:33 |
| | | | US-PGPUB; | |
| | | | ЕРО; ЈРО; | |
| | l | | IBM_TDB | |
| - | 2 | (processing adj1 units) same (instruction adj1 length) | USPAT; | 2004/08/11 09:44 |
| | | | US-PGPUB; | |
| | | | ЕРО; ЛРО; | |
| | | | IBM_TDB | |
| - | 5 | ("3401376" "3248708" "3426328" "3569939" "3573743").PN. | USPAT | 2004/08/11 09:08 |
| - | 35 | 3656123.URPN. | USPAT | 2004/08/11 09:08 |
| - | . 0 | ((float\$3 adj1 point) adj1 (units or co?processors or processors)) near4 | USPAT; | 2004/08/11 09:46 |
| | | (instruction near4 tim\$3) | US-PGPUB; | |
| | | | ЕРО; ЈРО; | |
| | | | IBM_TDB | |
| - | 16 | ((float\$3 adj1 point) adj1 (units or co?processors or processors)) near4 | USPAT; | 2004/08/11 09:52 |
| | | tim\$3 | US-PGPUB; | |
| | | | ЕРО; ЈРО; | |
| | | | IBM_TDB | |
| - | 10 | ("4725973" "5233694" "5481736" "5488729" "5560035" | USPAT | 2004/08/11 09:49 |
| | | "5692139" "5838986" "5890009" "5923871" "6163837").PN. | | |
| - | 217 | (float\$3 adj1 point) near4 instruction\$1 near4 (length or tim\$3) | USPAT; | 2004/08/11 10:14 |
| | | | US-PGPUB; | |
| | | 4 | ЕРО; ЈРО; | |
| | | | IBM_TDB | |
| - | 88 | (float\$3 adj1 point) adj1 instruction\$1 near4 (length or tim\$3) | USPAT; | 2004/08/12 08:24 |
| | | | US-PGPUB; | |
| | | | ЕРО; ЛРО; | |
| | | | IBM_TDB | |
| - | 6 | (integer and (floating adj1 point)) adj1 (unit\$1 or processor\$1 or | USPAT; | 2004/08/12 08:34 |
| | | co?processor\$1) same (execut\$3 adj1 tim\$3) | US-PGPUB; | |
| | | | ЕРО; ЛРО; | |
| | | | IBM_TDB | |
| - | 143 | (integer and (floating adj1 point)) adj1 (unit\$1 or processor\$1 or | USPAT; | 2004/08/12 08:35 |
| | 1 | co?processor\$1) same (instruction\$1 adj1 execut\$3) | US-PGPUB; | |
| | | | ЕРО; ЈРО; | |
| | | | IBM_TDB | |
| - | 3 | (integer and (floating adj1 point)) adj1 (unit\$1 or processor\$1 or | USPAT; | 2004/08/12 08:43 |
| | 1 | co?processor\$1) same (clock near4 frequency) | US-PGPUB; | |
| | | | ЕРО; ЛРО; | |
| | | | IBM_TDB | |

Search History 9/20/04 10:52:49 AM Page 4

| | | (' t 1/4 t' 1:1 ' t) - 1:1 (unit@1 or prooper. 1 or | USPAT; | 2004/08/12 08:43 |
|---|-----|--|-----------|------------------|
| - | 55 | (integer and (floating adj1 point)) adj1 (unit\$1 or processor\$1 or | US-PGPUB; | 2004/06/12 06.43 |
| | | co?processor\$1) same (clock near4 cycle\$3) | EPO; ЛРО; | |
| | | | IBM TDB | |
| | | i | USPAT; | 2004/00/12 00 42 |
| - | 55 | (integer and (floating adj1 point)) adj1 (unit\$1 or processor\$1 or | | 2004/08/12 08:43 |
| | | co?processor\$1) same (clock\$3 near4 cycle\$1) | US-PGPUB; | |
| | | | EPO; JPO; | |
| |] | | IBM_TDB | |
| - | 23 | ("4658355" "5363495" "5428807" "5497499" "5572690" | USPAT | 2004/08/12 08:45 |
| | | "5600848" "5682493" "5699460" "5704054" "5748936" | | |
| | | "5758139" "5805838" "5838939" "5913059" "5943491" | | : |
| | | "5944816" "5974524" "5987588" "6065109" "6085316" | | |
| | | "6185668" "6205538" "6381692").PN. | | |
| - | 728 | (712/23).CCLS. | USPAT; | 2004/08/12 09:48 |
| | | | US-PGPUB; | |
| · | | | ЕРО; ЛРО; | |
| ļ | | | IBM_TDB | |
| - | 109 | (712/30).CCLS. | USPAT; | 2004/08/12 09:48 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | IBM_TDB | |
| - | 292 | (712/221).CCLS. | USPAT; | 2004/08/12 09:49 |
| | | | US-PGPUB; | |
| | | | ЕРО; ЛРО; | |
| | | | IBM_TDB | |
| - | 872 | (713/400).CCLS. | USPAT; | 2004/08/12 09:49 |
| | | | US-PGPUB; | |
| | | | ЕРО; ЈРО; | |
| | | | IBM_TDB | |
| - | 594 | (713/501).CCLS. | USPAT; | 2004/08/12 09:49 |
| | | | US-PGPUB; | |
| | | | ЕРО; ЛРО; | |
| | | | IBM_TDB | |
| - | 664 | (713/600).CCLS. | USPAT; | 2004/08/12 09:49 |
| | | , | US-PGPUB; | . |
| | | | ЕРО; ЛРО; | |
| | | | IBM TDB | |